

- Intel® Celeron® Processor J1900
- Intel® Celeron® Processor J6412

- Intel® Core™ 10th Processor
- Intel® Core™ 12th Processor

► Introduction



The UTC-S15X2C series industrial panel PC showcases a fanless embedded design, It offers versatile configuration options, equipped with Intel® Celeron or advanced 10th/12th Gen Core™ i3/i5/i7 processors, delivering superior performance. **Powered by CESIPC's proprietary LEGO MODE technology, specially customized RFID**, the UTC-S15X2C ensures high functionality and meets rigorous protection standards, making it an optimal solution for mission-critical industrial applications.

- ★ Multi-platform, Multi-tier CPU options
- ★ Board-to-board Design for Stable Performance
- ★ i-Door Technology for Efficient, Tailored Solutions

- ★ LEGO MODE with Customizable Function Cards
- ★ RFID Capability for Intelligent Recognition and System Automation

► Specifications

System Core

CPU	Celeron J1900	Celeron J6412	i3-10110U	i5-10210U	i7-10510U	i3-1215U	i5-1235U	i7-1250U
Cores	4	4	2	4	4	6	10	10
Threads	4	4	4	8	8	8	12	12
Frequency	2.0-2.4	2.0-2.6	2.1-4.1	1.6-4.2	1.8-4.9	1.2-4.4	1.3-4.4	1.1-4.7
Cache	2MB	1.5MB	4MB	6MB	8MB	10MB	12MB	12MB
TDP	10W	10W	15W	15W	15W	15W	15W	9W
Graphics	HD	UHD	UHD	UHD	UHD	UHD Graphics	Iris Xe	Iris Xe
Memory	4-8GB DDR3L	4-16GB DDR4	4-32GB DDR4			8-32GB DDR5		
Storage	1 x mSATA SSD		1 x mSATA/ 1 x M.2 SSD			2 x M.2 SSD		

Power Supply

DC Input	1 × 3-pin Pluggable Terminal Block for 12V DC 9-36V DC Optional
Power Button	1x ATX Power On/Off Button
Booting	1x AT/ATX Mode Switch (Internal settings)

Wireless Communication

Wi-Fi	Intel N6235 300Mbps, 802.11a/b/g/n, 2.4G / 5G
Wireless Network	4G LTE Full Netcom Module

- Intel® Celeron® Processor J1900
- Intel® Core™ 10th Processor
- Intel® Celeron® Processor J6412
- Intel® Core™ 12th Processor

I / O Ports

CPU	Celeron J1900	Celeron J6412	i3-10110U	i5-10210U	i7-10510U	i3-1215U	i5-1235U	i7-1250U
USB 2.0	5	4	2	2	2	2	2	2
USB 3.0	1	2	4	4	4	4	4	4
RS232	4	4	4	4	4	4	4	4
RS485	2	2	2	2	2	2	2	2
VGA	1	1	1	1	1	1	1	1
HDMI	1	1	1	1	1	1	1	1
Ethernet	2 x Intel I210	2 x Intel I210	2 x Intel I210	2 x Intel I210	2 x Intel I210	2 x Intel I210	2 x Intel I210	2 x Intel I210
Audio	3.5mm TRRS	3.5mm TRRS	3.5mm TRRS	3.5mm TRRS	3.5mm TRRS	3.5mm TRRS	3.5mm TRRS	3.5mm TRRS

Display

LCD Size	15 inch Panel Size
Resolution	1024 x 768 / 4:3
Brightness (cd/m ²)	300
Contrast Ratio	500 : 1
Backlight LED Life Time	50,000 hrs (LED Backlight)

Touch Panel

Touchscreen Type	Projected Capacitive Touch Resistive 5-wire (Optional)
------------------	---

Mechanical

Dimension	436.0 (W) × 282.0 (D) × 69.2 (H) mm
Cutout Size	417.9 (W) x 266.8 (D) mm
Weight	5.0 KG N.W.
Material	6063 High-Strength Aluminum Alloy
Mechanical	Aluminum Extrusion + Sheet Metal
Construction	Structure
Mount	Wall Mount / VESA Mount

RFID

Card Model	IC Card (ID Card Optional)
Reading Distance	00~60mm
Communication Interface	RS232 / USB
Operating Voltage	3.3V~5V, Standard 5V
Working Frequency	13.56MHZ

Environmental

Protection	Front Panel IP65 Compliant
Operating Temperature	0~50°C (-40~70°C Optional)
Storage Temperature	-10~60°C
Relative Humidity	10%~90% , Non-condensing
EMC	CE, FCC (According to EN 55032 & EN 55035)
Factory	EN IEC 61000-3-2
ODM	ISO9001: 2015
MTBF	BIOS / Boot on LOGO / OEM 60,000 Hours

OS

Windows	Windows 10 / Windows 11 Note: Celeron J1900 can support Windows 7
Linux	Ubuntu 16.04 / 18.04 / 20.04 / 22.04

- Intel® Celeron® Processor J1900
- Intel® Core™ 10th Processor
- Intel® Celeron® Processor J6412
- Intel® Core™ 12th Processor


▶ Product Images



▶ Applications




▶ Product Sizes



- Intel® Celeron® Processor J1900
- Intel® Core™ 10th Processor
- Intel® Celeron® Processor J6412
- Intel® Core™ 12th Processor

▶ I/O



▶ Product Selection

NO.	Model	Product Part Number	Describe Infomation	Standard Memory	Standard Storage
1	UTC-S1562C		Intel® Celeron® Processor J1900 Processor	4GB	SSD 128GB
2	UTC-S1572C		Intel® Celeron® Processor J6412 Processor	8GB	SSD 256GB
3	UTC-S1592C		Intel® Core™ i3-10110U Processor	8GB	SSD 256GB
4	UTC-S1592C	C9.03.03.079	Intel® Core™ i5-10210U Processor	16GB	SSD 256GB
5	UTC-S1592C		Intel® Core™ i7-10510U Processor	8GB	SSD 256GB
6	UTC-S1522C		Intel® Core™ i3-1215U Processor	8GB	SSD 256GB
7	UTC-S1522C		Intel® Core™ i5-1235U Processor	8GB	SSD 256GB
8	UTC-S1522C		Intel® Core™ i7-1250U Processor	8GB	SSD 256GB

Note: CPU model may vary. Contact sales for details